

ProRox Industrial insulation • SeaRox Marine & Offshore insulation

Safe Use Instruction Sheet – ProRox & SeaRox products

Date of issue: 16.03.2021

Version: 1.3

SECTI	ON 1: Identification of the	e substance/mixture and of the company/undertaking	
1.1.	Product identifier		
Product	form	: Article	
rade na	ame	: ProRox & SeaRox insulation products, all forms (excluding ProRox WM 962).	
.2.	Relevant identified uses of the	e substance or mixture and uses advised against	
.2.1.	Relevant identified uses		
ntendeo		: ProRox: Thermal insulation of industrial installations.	
		SeaRox: Thermal insulation in marine and offshore installations	
.2.2.	Uses advised against		
lo addit	tional information available		
.3.	Details of the supplier of the s	afety data sheet	
Rockwo Rockwo	ol B.V. ol Technical Insulation		
ndustrie	eweg 15		
6045 JH	Roermond		
Vetherla	ands		
: +31 4	75 35 3915		
vww.rti.	rockwool.com		
roducii	ng factories:		
	Norway (Trondheim, Moss)		
	Denmark (Doense, Vamdrup)		
	Germany (Neuburg, Flechtingen,	, Gladbeck)	
	Netherlands (Roermond)		
	United Kingdom (Pencoed)		
	Poland (Cigacice, Malkinia)		
	Czech Republic (Bohumin)		
	Hungary (Tapolca) France (Saint Flow les Mines)		
	France (Saint Eloy les Mines)		
	Spain (Caparroso)		
	Croatia (Potpican)		
). 	Switzerland (Flums)	a from the BOCK/MOOL aits in Bussie (Mubers) or the BOCK/MOOL aits in India (Dahai)	
	Emergency telephone number	s from the ROCKWOOL site in Russia (Vyborg) or the ROCKWOOL site in India (Dahej).	
. 4 .		: +31 475 35 3915	
merge	ncy number	(business hours GMT+1)	
ECTI	ON 2: Hazards identificati	on	
2.1.	Classification of the substance	e or mixture	
Classifi Not clas	cation according to Regulation ((EC) No. 1272/2008 [CLP]	
	e physicochemical, human healt	h and environmental effects	
	tional information available.		
.2.	Label elements		
_abellir	ng according to Regulation (EC) lling applicable.	No. 1272/2008 [CLP]	
lo label	Others have a desired a section of the start	g to the classification	
	Other hazards not contributing		
2.3.	azards which do not result in	 Dust can be generated during cutting or fabrication of the product. When heated to approximately 150-200°C for the first time, release of binder components and binder 	

TECHNICAL INSULATION



Safe Use Instruction Sheet – ProRox & SeaRox products

decomposition products can occur which, in high concentrations, may irritate the eyes and respiratory system. Further information can be found in section 8.

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Not applicable.

3.2	М	ivtı	ires

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Stone wool (1)	(EC-No.) 926-099-9 (EC Index-No.) 650-016-00-2 (REACH-no) 01-2119472313-44	95 - 100	Not classified
Binder	(CAS-No.) 25104-55-6	0 - 5	Not classified
Mineral oil	(CAS-No.) 64742-62-7 (EC-No.) 265-166-0 (EC Index-No.) 649-471-00-X	0.5	Not classified

(1) Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the note Q conditions.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: If exposure symptoms persist, seek medical attention.	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash with plenty of water and soap. Rinse skin with water/shower.	
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Call a physician.	
First-aid measures after ingestion	: Rinse mouth immediately and drink plenty of water.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after eye contact	: May cause physical irritation upon direct contact.	
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray, carbon dioxide (CO ₂), dry chemical powder, foam.		
Unsuitable extinguishing media	: None known.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: The product itself does not burn.		
Explosion hazard	: Not explosive.		
5.3. Advice for firefighters			
Firefighting instructions	: Use self-contained breathing apparatus when in close proximity to fire. Wear proper protective equipment.		
Protective equipment for firefighters	: Wear a self contained breathing apparatus. Wear recommended personal protective equipment.		

SECT	ION 6: Accidental release mea	asures	
6.1.	Personal precautions, protective e	quipment and emergency procedures	
General	measures	: Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.	
6.1.1.	For non-emergency personnel		
Protectiv	ve equipment	: Safety glasses equipped with side shields are recommended as minimum protection in industrial settings. Refer to chapter 8.	
6.1.2.	For emergency responders		
Protectiv	ve equipment	: In case of inadequate ventilation wear respiratory protection. Refer to chapter 8.	
Emerge	ncy procedures	: Stop leak if safe to do so. Evacuate and limit access.	
6.2.	Environmental precautions		
Contain	any spills with dikes or absorbents to p	revent migration and entry into sewers or streams. Refer to sections 8 and 13.	
16.03.20	21	EN (English)	2/6



Safe Use Instruction Sheet – ProRox & SeaRox products

nt and cleaning up
: Clean contaminated surface with vacuum or dampen with water spray prior to sweeping up. Place waste in appropriate containers for disposal.
: Unpack material at application site to avoid unnecessary handling of product. Keep work area clean. Collect all waste in suitable and labelled containers and dispose according to local legislation. Wet dust with water before sweeping. Ensure good ventilation.
ng any incompatibilities
: Store in original container. Store tightly closed in a dry, cool and well-ventilated place.
onal protection
 Comply with national and local regulations for dust exposure. No CSR required for this article.
ticle filter type P1 or better (EN 149) in case of dust formation or when airborne particulates are
e 150-200°C (run in period):
rganic matter can be observed starting around 150–200°C. This can be observed as a release iful fumes.
mances of installed products.
pend on a number of variables including the amount of insulation installed, service temperature, eting materials. hours and up to several days. Ventilate the area well and keep a distance to the heated
a supplied air respirator. For lower concentrations an approved mask with particle filter type P1
e by a qualified person and all equipment should be appropriately fitted, used and maintained.
tly on hot surfaces.
e and safety procedures.
Cover exposed skin. When working in unventilated area wear disposable face maskImage: Cover exposed skin. Clean area using vacuum equipmentImage: Cover exposed skin. Clean area using working overheadImage: Cover exposed skin. Wear goggles when working overheadImage: Cover exposed skin.



Safe Use Instruction Sheet – ProRox & SeaRox products

OFOTION OF Dissignational and advances			
SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and			
Physical state	: Solid		
Appearance	: Article. Stone wool		
Colour	: Grey. Green		
Odour	: Odourless		
Odour threshold	: Not applicable		
рН	: Not applicable		
Relative evaporation rate (butylacetate=1)	: Not applicable		
Melting point	: >1000°C		
Freezing point	: Not applicable		
Boiling point	: Not applicable		
Flash point	: Not applicable		
Auto-ignition temperature	: Not applicable		
Decomposition temperature	: 150-200°C		
Flammability (solid, gas)	: Not flammable		
Vapour pressure	: Not applicable		
Relative vapour density at 20 °C	: Not applicable		
Relative density	: See product data sheet		
Solubility	: Chemically inert substance Water: Insoluble in water		
Log Pow	: Not applicable		
Viscosity, kinematic	: Not applicable		
Viscosity, dynamic	: Not applicable		
Explosive properties	: Not explosive		
Oxidising properties	: Not applicable		
Explosive limits	: Not explosive		
9.2. Other information			
No additional information available.			

SECT	ION 10: Stability and reactivity			
10.1.	Reactivity			
Hazard	pus polymerisation does not occur.			
10.2.	Chemical stability			
Stable u	Stable under normal conditions.			
10.3.	Possibility of hazardous reactions			
None u	None under normal conditions.			
10.4.	Conditions to avoid			
None known.				
10.5.	Incompatible materials			
Strong acids, bases.				
10.6.	Hazardous decomposition products			

Heating Mineral Wool above 150-200°C can lead to a one time release of small amounts of fumes and gasses. Composition typical to thermal decomposition of organic compounds based on Carbon, Nitrogen and Hydrogen: Primarily Carbon oxides, with smaller amounts of e.g. Monoisocyanates, Nitric oxide, Acetaldehyde, Formaldehyde and Hydrogen cyanide.

Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :	 Not classified pH: Not applicable Not classified Not classified 	
	pH: Not applicable	
Serious eye damage/irritation :		
Serious eye damage/irritation :	Not classified	
	pH: Not applicable	
Skin corrosion/irritation :	Not classified	
Acute toxicity :	Not classified	
11.1. Information on toxicological effects		
SECTION 11: Toxicological information		



Safe Use Instruction Sheet – ProRox & SeaRox products

Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Additional information	: The mechanical effect of coarse fibres in contact with throat, skin or eyes may cause temporary itching/inconvenience	

SECTION	SECTION 12: Ecological information				
12.1. To	oxicity				
Ecology - ge	eneral :	This product is not hazardous			
12.2. Pe	ersistence and degradability				
ProRox an	nd SeaRox				
Persistenc	e and degradability	Product is not easily biodegradable			
12.3. Bi	ioaccumulative potential				
ProRox an	nd SeaRox				
Bioaccumu	ulative potential	No bioaccumulation			
12.4. M	obility in soil				
ProRox an	nd SeaRox				
Ecology - s	soil	Not expected to adsorb on soil			
12.5. Re	2.5. Results of PBT and vPvB assessment				
No additional information available.					
12.6. Of	ther adverse effects				
Other adver	se effects :	No information available			
SECTION 13: Disposal considerations					
13.1. W	aste treatment methods				
	Product/Packaging disposal recommendations : Comply with local regulations for disposal.				

Product/Packaging disposal recommendations	: Comply with local regulations for disposal.
Additional information	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AI	DN	
14.1. UN-no.:	:	Not applicable
14.2. UN proper shipping name	:	Not applicable
14.3. Transport hazard class(es)	:	Not applicable
14.4. Packing group	:	Not applicable
14.5. Environmental hazards	:	Not applicable
14.6. Special precautions for user	:	None specified
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	:	Not applicable

(including octabromodiphenyl ether) 2011/65/EC : On the restriction of the use of certain hazardous substances in electrical and electronic	
15.1. Safety, health and environmental re	gulations/legislation specific for the substance or mixture
	: On end-of life vehicles
850/2004/EC	
1907/2006/EC, annex XVII	: Conserning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), (including octabromodiphenyl ether)
2011/65/EC	: On the restriction of the use of certain hazardous substances in electrical and electronic equipment (ROHS), including decaBDE.

The material also fulfil the labelling obligation that EURIMA has made with EC Commission.

15.2.	Chemical safety assessment	
No asse	essment required.	

Safe Use Instruction Sheet – ProRox & SeaRox products

SECTION 16: Other information

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CAS	Chemical Abstracts Service	
CLP	Classification, Labelling and Packaging	
CSR	Chemical Safety Report	
DNEL	Derived No-Effect Level	
EURIMA	European Insulation Manufacturers Association	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
Log Pow	Bioacumulative potential	
PBT	Persistent, Bioaccumulative, Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
vPvB	very Persistent, very Bioaccumulative	

Training advice:

No special training is required. However, the user should be well instructed in the execution of the task, and have normal training in the use of personal protective equipment.

Other information: None

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.