

Date of issue: 01.05.2023

Version: 1.5

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Article
Trade name	<ul> <li>ProRox &amp; SeaRox insulation products, all forms (excluding ProRox WM 962, ProRox WM 950S, ProRox WM 950SW, ProRox WM 960S, ProRox WM 960SW, ProRox WM 970S, ProRox WM 970WS).</li> </ul>
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended use	: ProRox: Thermal insulation of industrial installations. SeaRox: Thermal insulation in marine and offshore installations
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the sa	afety data sheet
Rockwool B.V. Rockwool Technical Insulation	
Industrieweg 15	
6045 JH Roermond	
Netherlands	
T: +31 475 35 3915	
www.rti.rockwool.com	
Producing factories:         -       Norway (Trondheim, Moss)         -       Denmark (Doense, Vamdrup)         -       Germany (Neuburg, Flechtingen,         -       Netherlands (Roermond)         -       United Kingdom (Pencoed)         -       Poland (Cigacice, Malkinia)         -       Poland (Cigacice, Malkinia)         -       Czech Republic (Bohumin)         -       Hungary (Tapolca)         -       France (Saint Eloy les Mines)         -       Spain (Caparroso)         -       Croatia (Potpican)         -       Switzerland (Flums)         Or imported by any of these manufacturers         1.4.       Emergency telephone number	s from the ROCKWOOL site in Russia (Vyborg) or the ROCKWOOL site in India (Dahej).
	(business hours GMT+1)
<b>SECTION 2: Hazards identificati</b>	on
2.1. Classification of the substance	
Classification according to Regulation ( Not classified.	EC) No. 1272/2008 [CLP]
Adverse physicochemical, human healt No additional information available.	h and environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) No labelling applicable.	No. 1272/2008 [CLP]



2.3.	Other hazards not contributing to the	e cla	issification
Other haz classificat		a d	Dust can be generated during cutting or fabrication of the product. When heated to pproximately 150-200°C for the first time, release of binder components and binder lecomposition products can occur which, in high concentrations, may irritate the eyes and espiratory system. Further information can be found in section 8.

## SECTION 3: Composition/information on ingredients

3	3.1. Substances			
	Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	Stone wool (1)	(EC-No.) 926-099-9	95 - 100	Not classified

(1) Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the note Q conditions.

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Binder		0 - 5	Not classified
Mineral oil		0.5	Not classified

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general : If exposure symptoms persist, seek medical attention.		
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash with plenty of water and soap. Rinse skin with water/shower.	
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Call a physician.	
First-aid measures after ingestion	: Rinse mouth immediately and drink plenty of water.	
4.2. Most important symptoms and effe	cts, both acute and delayed	
Symptoms/effects after eye contact	: May cause physical irritation upon direct contact.	
4.3. Indication of any immediate medica	al attention and special treatment needed	

Treat symptomatically.

<b>SECTION 5: Firefighting measures</b>			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical powder, foam.		
Unsuitable extinguishing media	: None known.		
5.2. Special hazards arising from the s	ubstance or mixture		
Fire hazard	: The product itself does not burn.		
Explosion hazard	: Not explosive.		
5.3. Advice for firefighters			
Firefighting instructions	: Use self-contained breathing apparatus when in close proximity to fire. Wear proper protective equipment.		
Protective equipment for firefighters	Wear a self contained breathing apparatus. Wear recommended personal protective equipment.		
	equipment.		
SECTION 6: Accidental release me			
	asures		
6.1. Personal precautions, protective e	asures equipment and emergency procedures : Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory		
6.1. Personal precautions, protective e General measures	asures equipment and emergency procedures : Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory		
<ul> <li>6.1. Personal precautions, protective e</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> </ul>	asures equipment and emergency procedures : Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. : Safety glasses equipped with side shields are recommended as minimum protection in		
<ul> <li>6.1. Personal precautions, protective end of the second second</li></ul>	asures equipment and emergency procedures : Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. : Safety glasses equipped with side shields are recommended as minimum protection in		



6.2. Environmental precautions		
Contain any spills with dikes or absorber	nts to prevent migration and entry into sewers or streams. Refer to sections 8 and 13.	
6.3. Methods and material for co	ntainment and cleaning up	
Methods for cleaning up	: Clean contaminated surface with vacuum or dampen with water spray prior to sweeping up. Place waste in appropriate containers for disposal.	
6.4. Reference to other sections		
Refer to sections 8 and 13.		
SECTION 7: Handling and stor	age	
7.1. Precautions for safe handlin	g	
Precautions for safe handling	: Unpack material at application site to avoid unnecessary handling of product. Keep work area clean. Collect all waste in suitable and labelled containers and dispose according to local legislation. Wet dust with water before sweeping. Ensure good ventilation.	
7.2. Conditions for safe storage,	including any incompatibilities	
Storage conditions	: Store in original container. Store tightly closed in a dry, cool and well-ventilated place.	
7.3. Specific end use(s)		
No additional information available.		
SECTION 8: Exposure controls	s/personal protection	
8.1. Control parameters		
Occupational exposure limits	: Comply with national and local regulations for dust exposure.	
DNEL/PNEC	: No CSR required for this article.	
8.2. Exposure controls		
Appropriate engineering controls:		
Ensure adequate ventilation.		
Eye protection:		
Tightly fitting safety goggles (EN 166).		
Skin and body protection:		
Cover any exposed skin. Wear protective	e gloves.	
Respiratory protection:		
During handling: Use an approved mask above exposure limits.	with particle filter type P1 or better (EN 149) in case of dust formation or when airborne particulates are	
Hot equipment - operating at temperatur		
During initial run-in, a thermal decompos of small amounts of potentially irritating a	ition of organic matter can be observed starting around 150–200°C. This can be observed as a release and harmful fumes.	
This does not affect the quality or declare	ed performances of installed products.	
The amount and composition of the fume temperature run in gradient, ventilation ra	es will depend on a number of variables including the amount of insulation installed, service temperature, ate, jacketing materials.	
The run-in period can last for a period from a few hours and up to several days. Ventilate the area well and keep a distance to the heated equipment.		
For high concentrations in enclosed space or better (FN 149) is adequate.	ces use a supplied air respirator. For lower concentrations an approved mask with particle filter type P1	

or better (EN 149) is adequate. Selection of specific respirator type shall be made by a qualified person and all equipment should be appropriately fitted, used and maintained.

Special precautions advised when installing directly on hot surfaces.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures.



# **TECHNICAL INSULATION**

## Safe Use Instruction Sheet – ProRox & SeaRox products



Ventilate working area if possible



Waste should be disposed of according to local regulations



Cover exposed skin. When working in unventilated area wear disposable face mask



Clean area using vacuum equipment



Wear goggles when working overhead



Rinse in cold water before washing

The material fulfil the labelling agreement that EURIMA has made with EC Commission.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Article. Stone wool	
Colour	: Grey. Green	
Odour	: Odourless	
Odour threshold	: Not applicable	
рН	: Not applicable	
Relative evaporation rate (butylacetate=1)	: Not applicable	
Melting point	: >1000°C	
Freezing point	: Not applicable	
Boiling point	: Not applicable	
Flash point	: Not applicable	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: 150-200°C	
Flammability (solid, gas)	: Not flammable	
Vapour pressure	: Not applicable	
Relative vapour density at 20 °C	: Not applicable	
Relative density	: See product data sheet	
Solubility	: Chemically inert substance Water: Insoluble in water	
Log Pow	: Not applicable	
Viscosity, kinematic	: Not applicable	
Viscosity, dynamic	: Not applicable	
Explosive properties	: Not explosive	
Oxidising properties	: Not applicable	
Explosive limits	: Not explosive	
9.2. Other information		
No additional information available.		
SECTION 10: Stability and reactivity	/	
10.1. Reactivity		
Hazardous polymerisation does not occur.		
10.2. Chemical stability		
Stable under normal conditions.		

**10.3. Possibility of hazardous reactions** None under normal conditions.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, bases.



#### 10.6. Hazardous decomposition products

Heating Mineral Wool above 150-200°C can lead to a one time release of small amounts of fumes and gasses. Composition typical to thermal decomposition of organic compounds based on Carbon, Nitrogen and Hydrogen: Primarily Carbon oxides, with smaller amounts of e.g. Monoisocyanates, Nitric oxide, Acetaldehyde, Formaldehyde and Hydrogen cyanide.

SECTION 11: Toxicological information		
11.1. Information on toxicological	effects	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Not classified	
	pH: Not applicable	
Serious eye damage/irritation	: Not classified	
	pH: Not applicable	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Additional information	: The mechanical effect of coarse fibres in contact with throat, skin or eyes may cause temporary itching/inconvenience	

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general	: This product is not hazardous			
12.2. Persistence and degradability				
ProRox and SeaRox				
Persistence and degradability	Product is not easily biodegradable			
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential			
ProRox and SeaRox				
Bioaccumulative potential	No bioaccumulation			
12.4. Mobility in soil				
ProRox and SeaRox				
Ecology - soil	Not expected to adsorb on soil			
12.5. Results of PBT and vPvB assessmen	It			
No additional information available.				
12.6. Other adverse effects				
Other adverse effects	: No information available			
SECTION 13: Disposal consideration	S			
13.1. Waste treatment methods				
Product/Packaging disposal recommendations	: Comply with local regulations for disposal.			
Additional information	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.			
SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / AD	N N			
14.1. UN-no.:	: Not applicable			
14.2. UN proper shipping name	: Not applicable			
14.3. Transport hazard class(es)	: Not applicable			
14.4. Packing group	: Not applicable			
14.5. Environmental hazards	: Not applicable			
14.6. Special precautions for user	: None specified			
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable			



SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
The materials fulfil the directives: 2000/53/EC : On end-of life vehicles		
850/2004/EC	: On persistent organic pollutants (including PFOS (perfluorooctane sulfonates) and pentabromodiphenyl ether)	
1907/2006/EC, annex XVII	: Conserning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), (including octabromodiphenyl ether)	
2011/65/EC	: On the restriction of the use of certain hazardous substances in electrical and electronic equipment (ROHS), including decaBDE.	

#### 15.2. Chemical safety assessment

No assessment required.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms:

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
European Agreement concerning the International Carriage of Dangerous Goods by Road
Chemical Abstracts Service
Classification, Labelling and Packaging
Chemical Safety Report
Derived No-Effect Level
European Insulation Manufacturers Association
International Air Transport Association
International Maritime Dangerous Goods
Bioacumulative potential
Persistent, Bioaccumulative, Toxic
Predicted No-Effect Concentration
Registration, Evaluation, Authorisation and Restriction of Chemicals
Regulations concerning the International Carriage of Dangerous Goods by Rail
very Persistent, very Bioaccumulative

Training advice:

No special training is required. However, the user should be well instructed in the execution of the task, and have normal training in the use of personal protective equipment.

Other information: None

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.